


NEW GENERATION ABRASIVE TECHNOLOGY

FASTER, STRONGER, LONGER LASTING FIBRE DISCS



WITH VIKING TECHNOLOGY

NORTON

SAINT GOBAIN

QUANTUM




QUANTUM F996 FIBRE DISCS WITH VIKING TECHNOLOGY

FEATURES

- Improved backing: stronger fibre for longer life
- New SG® Ceramic grain blend for high stock removal
- New high performance resin bond formula for high grain retention
- Supersize treatment for cooler cut

BENEFITS

- Long and consistent lifetime
- Incredibly fast stock removal
- Maximum performance
- No burns on the workpiece



DIMENSIONS	GRIT	PACK QTY	SAP CODE
115 x 22mm	36	25	66623327494
	50	25	66623327496
	60	25	66623327497
	80	25	66623327499
	120	25	66623327500
125 x 22mm	36	25	66623327501
	50	25	66623327502
	60	25	66623327503
	80	25	66623327504
	120	25	66623327505
180 x 22mm	36	25	66623327506
	50	25	66623327507
	60	25	66623327508
	80	25	66623327509
	120	25	66623327510

APPLICATIONS

- Investment casting foundries (stainless steel and cobalt chromium)
- Very hard to grind metals and coatings
- Very hard to grind welds (weld preparation, grinding and blending)
- Heavy stock removal & edge chamfering

BACK UP PADS FOR USE WITH QUANTUM F996 FIBRE DISCS

DIMENSIONS	TYPE	DENSITY	PACK QTY	SAP CODE
115mm	AIR-COOLED	HARD	1	69957382821
	NYLON	HARD	5	69957382828
	NYLON	MEDIUM	5	69957382825
125mm	AIR-COOLED	HARD	1	69957382823
	NYLON	HARD	5	69957382829
	NYLON	MEDIUM	5	69957382826
180mm	AIR-COOLED	HARD	1	69957382824
	NYLON	HARD	5	69957382830
	NYLON	MEDIUM	5	69957382827

M14 attachment

www.norton.eu

Saint-Gobain Abrasives
European Headquarters
Rue de l'Ambassadeur - B.P.8
78 702 Conflans Cedex
France
Tel: +33 (0) 134 90 40 00
Fax: +33 (0) 134 90 43 87

Norton is a registered trademark of Saint-Gobain Abrasives.
Form # 2593

BACK-UP PAD SELECTION

- Use an Air-cooled back up pad for longer life and aggressive stock removal with grits 36 and 50
- Use a Nylon hard back-up pad for heavy stock removal on grits 36 and 50
- Use a Nylon medium back-up pad for shaped parts on grit 50 and finer



